## BOCS Brief Obsessive Compulsive Scale

By S. Bejerot. Based on Wayne Goodman's YALE- BROWN OBSESSIVE COMPULSIVE SCALE and CHILDREN'S YALE- BROWN OBSESSIVE COMPULSIVE SCALE

Name:	Patient ID:		
Date:	Clinician:		
The patient (>15 years) can complete the checklist as a self-rating procedure, while the information from younger children should be obtained by interview. The questions on page 4 are to be completed by the clinician in an interview setting.			
The terms "obsessions" and com	pulsions" may be described in the following v	way:	
	<b>oughts</b> , ideas, feelings, fantasies, images (pi ugh you do not want them to. Since obsession it.		
"Compulsions" on the other hand, are habits, rituals or behaviors, you feel you have to do, although you may know that they do not make sense, or are excessive. At times you may try to stop from doing them, but this might not be possible. While most compulsions are observable behaviors, some compulsions may be hidden mental acts that go on in your head, such as silent checking, or repeating certain words to yourself each time you have disturbing thoughts.			
Check the obsessions and compulsions that trouble you <i>right now</i> (during the past week) in the "current" box. If they have occurred previously but not any longer, check the box marked "Past". There are examples of each symptom to help you decide if you have an obsessive-compulsive symptom. If you never have had the obsession or compulsion, check the box marked "Never".			
Contamination/Cleanness		Current Past N	lever
I am worried about dirt, get	ms, virus.		
Ex. Fear of getting germs from chairs or seats or fear of gettin	touching door handles or shaking hands or sitting in certain g AIDS.		
2. I wash my hands very often sure I am not dirty or conta Ex. Washing one's hands many has touched, a contaminated of	minated. • times a day or for long periods after touching, or thinking one		

Harming obsessions		Current	Past	Neve
3.	I fear that my actions might harm others.			
	Ex. Fear of poisoning other's food, fear of hurting babies, fear of pushing someone in front of a train, fear of causing harm by giving bad advice.			
4.	I fear I will loose control and do something I don't want to do.			
	Ex. Fear of driving into a tree, fear of running over somenoe, fear of stabbing someone.			
Sexual	obsessions			
5.	I have unpleasant forbidden or perverse sexual thoughts, images or impulses that frighten me.			
	Ex. Unwanted bad sexual thoughts about strangers, family members, children or friends.			
Checki	ng			
6.	I must check the stove or other electrical appliances, that			
	I have locked the door or make sure that things have not disappeared.			
	Ex. Repeated checking of door locks, the stove, the iron or electrical outlets before leaving home; repeated checking that one's cupboard at school is locked, or if one is properly dressed.			
Religio	n/Magical thoughts/Superstition			
7.	My dirty words, thoughts and curses directed towards God bothers me; I have a fear of offending God.			
	Ex. Worries about being punished for such sins and thoughts now, later in life or after death.			
8.	In order to prevent something terrible to happen I must have special thoughts or acts done in a special way.			
	Ex. Touching an object like a telephone insures that someone in the family will not get sick.			
Morali	ty & Justice			
9.	I am occupied with morality issues, justice or what is right or wrong.			
	Ex. worries about always doing "the right thing", having told a lie, or having cheated someone.			
Symme	etry/Exactness/Ordering			
10.	How things are placed or how they are positioned is important to me. It needs to feel "just right" (but isn't associated with magical thinking).			
	Ex. Worries about papers and books being neatly placed, worries about calculations or handwriting being perfect or not evening up.			
11.	I get a compelling urge to put my things in a special order.			
	Ex. Straightening paper and pens on a desktop or books in a bookcase, wasting hours arranging or lining up things in the house in "order" and then becoming very upset if this order is disturbed.			

Just right/ Repeating rituals/ Counting		Current	Past	Never	
12.	I have a compelling urge to repeat certain feels just right.  Ex. Repeating activities like turning the tap or a	n actions until it			
	in and out of a doorway.	<i>"</i> 3 73 3			
Hoardi	ng & Saving				
14.	I must follow strong impulses to collect	and hoard things.			
	Ex. Saving old newspapers, notes, cans, paper t them away one may some day need them; pick				
Somati	c obsessions				
15.	I have worries that I look peculiar; I am c something is wrong with my looks.	concerned that			
	Ex. Worries that one's face, ears, nose, eyes, or despite reassurance to the contrary.	another part of the body is hideously ugly,			
Self-da	maging behaviors				
16.	I do things that injure my body.				
	Ex. Scratching and tearing the skin, cut oneself	or banging one's head.			
2.					
3.					
<b>Mark</b> <i>t</i> .	he most troublesome obsessive-comp	oulsive problems, and enter them he	ere:		
2.					
3.					
J.					
	s worse, your obsessions or your com espond to either question A or B.	pulsions?			
compul what th	u separate your obsessions and your sions, what percent are the former and e latter?  Obsessions: % ompulsions: %	B. Obsessions and compulsions shou Please dash the sections that correspond to your compulsions/ habits. The empty sections correspond to your obsessions/thoughts.  = Obsessions/thoughts  = Compulsions/habits	ld together f	fill the circ	cle.

Nan	ne: Patient ID:
Date	e: Clinician:
	ew the current <b>obsessive-compulsive problems</b> (obsessions/thoughts and compulsions/habits). the patient to respond according to the situation during the last seven days (including today).
	Approximately, how much of your time is occupied by obsessive-compulsive problems?  0= None.  1= Occasional symptoms or less than one hour per day.  2= Frequent obsessive-compulsive symptoms or 1-3 hours per day.  3= Very frequent symptoms or more than 3 and up to 8 hours a day.  4= Almost constantly or more than 8 hours a day.
	On the average, what is the longest amount of consecutive waking hours per day that you are completely free of obsessive-compulsive problems?hrs/day.  0= No symptoms.  1= Long symptom-free interval, more than 8 consecutive hours/day symptom-free.  2= Moderately long symptom-free interval, more than 3 and up to 8 consecutive hours/day symptom-free.  3= Short symptom-free interval, from 1 to 3 consecutive hours/day symptom-free.  4= Extremely short symptom-free interval, less than 1 consecutive hour/day symptom-free.
	How much do your obsessive-compulsive problems interfere with your everyday life, work or school, or social functioning?  0= No interference.  1= Mild; slight interference with social or occupational/school activities, but overall performance not impaired.  2= Moderate; definite interference with social or occupational/school performance, but still manageable.  3= Severe interference; causes substantial impairment in social or occupational/school performance.  4= Extreme; incapacitating interference.
	How much distress do your obsessive-compulsive problems cause you?  0= None.  1= Mild; not too disturbing.  2= Moderate; disturbing, but still manageable.  3= Severe; very disturbing distress.  4= Extreme; near constant and disabling distress.
	How much control do you have over your obsessive-compulsive problems? How successful are you in stopping or diverting them? If you rarely try to resist, please think about those rare occasions on which you did try. (Note: Do not include here obsessions stopped by doing compulsions).  0= Complete control.  1= Much control; usually able to stop or divert obsessive-compulsive problems with some effort/concentration.  2= Moderate control, sometimes able to stop or divert obsessive-compulsive problems only with difficulty.  3= Little control, rarely successful in stopping or dismissing obsessive-compulsive problems but they can be delayed for the moment.  4= No control, are rarely able, even momentarily, to ignore obsessions or refrain from performing compulsions; they cannot even be delayed for the moment.
	Have you been avoiding doing anything, going anyplace or being with anyone in order to avoid your obsessive compulsive problems?  0= No deliberate avoidance.  1= Mild, minimal avoidance.  2= Moderate, some avoidance; clearly present.  3= Severe, much avoidance; avoidance prominent.  4= Extreme, very extensive avoidance; patient does almost everything he/she can to avoid triggering symptoms.
	Obsessions:% BOCS TOTAL (add items 1 - 6) Compulsions:% (refer to the question on page 3)